



StreamNet™ | Integration Partners List

Quick Reference Guide

IP Amplifiers

NaimNet - NNP01, NNP02, NNP02-DC

IP Speakers

Polk Audio - I LC265i-IP (in-wall), LC80i-IP (in-ceiling) Require SN1000/SN1001 StreamNet card. IP-Ready -SC80ipr (in ceiling)* and SC85ipr (in-wall)*

Atlantic Technologies - IWTS-4 LCR-IP, IWTS-7 LCR-IP, IWTS-14 LCR-IP, ICTS – 6.1 - IP-Ready speakers require SLX300, SL251 or SL254 SpeakerLinX for IP operation. Can be used as conventional passive speaker with other NetStreams models

Music Servers

ReQuest - Escient - Fireball: SE-80, E-40, E-120, E2-40, E2-100, E2-200, E2-160, E2-300, DVDM-300, DVDM-552, MX752, MX531, MX311, MX111, AVX-552, AVX-331, AVX-211, Vision

iMerge - SoundServer MKII S2000, S3000 – MS5000 and MS1 (audio only)

NaimNet - NS01, NS02, NS03

Mozaex - Mozaex media Servers*

Other Music Storage Devices (via Anthology)

PCs or Macs

Windows Media Center

iTunes Library

Network Attached Storage

USB Mass Storage Devices

AM/FM & Satellite Tuners (via MediaLinX)

Parasound - ZTuner (AM/FM Tuner) v1.0 & v.20

Polk Audio - Xrt12 XM Tuner, Polk SR-H1000 (see Tech Note)

Sirius - SCH2P, SCH1 (requires SIRS232 cable or the SCH1P2 kit that includes the RS232 cable),SCHDOC1P Home Dock

Marantz - ST7001 AM/FM/XM Tuner (requires MLA101, not compatible with MLA4000) NA7004 Network Audio Player and USB DAC

NaimNet - NNT01, NNT02

ONKYO - T-4555* AM/FM/DAB*

Internet Radio

vTuner - via SL251, TLA250, SLX300

Pandora, Sirius XM, TuneIn/RadioTime - via ANTHOLOGY

iPod Docking Stations (via MediaLinX)

iPort - To Show Meta-data: IW-4, IW-5, FS-4, FS-5, FS-22, IW-22 Audio Only: IW-1, IW-2, IW-3, FS-1, FS-2, FS-3

Marantz - IS201 iPod Dock IS201 iPod Dock

Home Cinema Controllers (for use via RS-232 with TheaterLinX , and others via IR)

Marantz- SR7001, SR7002, SR8002

Denon - AVR-3808CI, AVR-5308CI*, AVR-3311CI*

Arcam - SoloMovie, AVR350

ONKYO - All current AV Receivers with RS232*

IP Cameras

Panasonic - BB-HCM331A, BB-HCM381A, BB-HCM371A, BB-HCM311A, KX-HCM250, KX-HCM280, KX-HCM110A, BL-C10, BL-C30A, KX-HCM311A, BB-HCA10A, BB-HCS301A, BB-HCM547A, BB-HCM531A, BB_HCM403A, BB-HCM511A, BB-HCM515A, BB-HCM581A, BB-HCM581A-W

CD Players

Marantz - CC4001 CD Changer, Sony Disc Explorer 400

The Power of AV over IP™



* Note-models listed have drivers created by third party vendors but have not been tested and are not supported by ClearOne.



StreamNet™ | Integration Partners List

Quick Reference Guide

HVAC Systems (via ControlInX)

Aprilaire - 8811 Protocol adapter required

Sensible Heat

Use the B+B EIB Medienteknik gateway*

KNX*

Lighting Systems (via ControllnX)

Lutron - Graphic Eye™, RadioRa™ RadioRa 2, HomeWorks™

Vantage Controls - InFusion

Dynalite - via DNG232 RS232 interface*

Futronix - via RS232 interface (needs RS485-RS232 converter)*

HAI - HAI Controller with RS232 interface

Helvar - via RS232 Interface adapter with power supply*

iLight - via RS232 interface (PC Node)*

KNX *

Use the B+B EIB Medienteknik Gateway*

LEAX - Via RS232 Audio Gateway Driver*

Mode Lighting - Via Evolution Power & Processor Unit and EVO –INT-232 interface*

Rako - Via Rako RAV232+bidirectional RS232 controller*

Clipsal Lighting C-Bus Protocol

Encelium - SSU Controller*

AprilAire- Thermostats 8870 & 8800

Security Systems (via ControlInX)

GE Concord - Superbus® 2000 Printer/Automation Module

Secant - Cardio IIe Controller

DSC - Requires DSC IT-100 integration module

Cable and Wiring

Belden® HomeChoice® 7876A for NetStreams IP-Based Video

Belden HomeChoice 7949A for NetStreams IP-Based Audio.

Remote Controls

RTI IR Remote Controls — Model T1, T1+, T2-C, T3 and M2, RTI In-Wall RK series remote controls, TI LCD Touch screen Controllers: Model Tt, K4 and RK10, Remote Processors – RTI-RP6 and RTI-XP8 (compatible RTI RF remotes)

Philips Pronoto- TSU9600, TSU9800

Universal Remotes - Remote Processors – MSC-400 (compatible Universal RF remotes) MX-6000

Apple iPod Touch, iPhone, iPad, via iLinX app (3rd party application)

* Note-models listed have drivers created by third party vendors but have not been tested and are not supported by ClearOne.



StreamNet™ | Integration Partners List

Quick Reference Guide

Displays

Sharp Plasma – PN – 455RU

Sharp LCD – LC-26DA5U, LC-32DA5U

LG Display (RS232C)

Panasonic PT-DW5100U, PT-FW100NTU

NuVision*

Projectors

InFocus - 5316HD*

NEC - NPPX750U*

Pool and Spa Control

Jandy - Via AquaLink RS Serial Adapter*

Hayward Goldline - AquaConnect*

Cable and Satellite Box

Direct TV (RS232C)

Tivo (Models)

HD and Document Cameras

Sony EVI-D70, EVI-HD1

IP Based Video Players

VUDU BX100, VUDU HD (VUDU appliances using NetRemote software)

DVD Players

Denon - DBP-2012UDCI

Conference Systems

ClearOne Converge Pro, Interact Pro

Digital Signage

ClearOne IMPRESS

Control Devices

Global Cache - WF2CC (Contact Closure device) IP2CC (Contact Closure device) GC100 (IR/Serial Controller)

Scaler/Switcher

Kramer - VP-438*

Misc

AMX - Use StreamNet Module

Crestron - Use StreamNet Module

StarDraw

* Note-models listed have drivers created by third party vendors but have not been tested and are not supported by ClearOne.

> CLEARONE LOCATIONS

Headquarters:

Salt Lake City, UT USA
5225 Wiley Post Way
Suite 500
Salt Lake City, UT 84116
Tel: 801-975-7200
Toll Free: 800-945-7730
Fax: 801-977-0087
sales@clearone.com

Latin America

Tel: 801-974-3621
global@clearone.com

EMEA

Tel: 44 (0) 1189 036 053
global@clearone.com

APAC

Tel: 801-303-3388
global@clearone.com

TechSales

Tel: 800.705.2103
techsales@clearone.com

Technical Support

Tel: 800.283.5936
tech.support@clearone.com